CLARIANT

Product Fact Sheet LOCRON®

Antiperspirant agent for the cosmetic industry

Composition	Aluminum hydroxychloride	
INCI Name:	Aluminum Chlorohydrate	
Product properties ¹	7	sion, y arato
Appearance (20 °C)	Locron [®] S	fine flakes
., ,	Locron® P	powder (mind. 99.5 %:
		max. 40 µm)
	Locron® L/	, ,
	Locron® L.ZA	liquid (approx. 50 % aqueous
		solution)
	Locron® LIC	liquid (approx. 50 % aqueous
		solution)
Aluminium (% m/m)	Locron [®] S	24.4 – 25.4
	Locron [®] P	24.6 – 25.6
	Locron [®] L	12.2 – 12.7
	Locron [®] LIC	12.2 – 12.7
Chloride (% m/m)	Locron [®] S	15.8 – 16.8
	Locron [®] P	16.3 – 17.3
	Locron® L/	
	Locron [®] L.ZA	7.9 - 8.4
	Locron [®] LIC	7.9 - 8.4
pH (15 % aqueous	approx. 4.2	
solution)	_	
Iron (mg/kg)	Locron [®] S	max. 100
	Locron® P	max. 100
	Locron® L/	
	Locron® L.ZA	max. 50
	Locron [®] LIC	max. 35

CLARIANT INTERNATIONAL LTD
Rothausstrasse 61
4132 Muttenz
Switzerland
BUSINESS UNIT INDUSTRIAL &
CONSUMER SPECIALTIES
www.ics.clariant.com
www.clariant.com

Manufacture

Reaction of aluminum or compounds containing aluminum with hydrochloric acid.

Profile

The Locron® grades are aluminum hydroxychlorides in solid form (Locron® S,

Page 1 of 3 LOCRON® May 2013

 $^{^1}$ These characteristics are for guidance only and not to be taken as product specifications. The tolerances are given in the product specification sheet. For further product properties, specifications, safety and ecological data, please refer to the MSDS.



Locron® P) or as 50% aqueous solutions (Locron® L, L.ZA, LIC).

Locron[®] is a mild astringent that reduces perspiration and has a slight deodorising effect. It is therefore used in a wide range of antiperspirant and deodorant formulations.

Aluminum hydroxychloride has been used on a growing scale for many years throughout the world as an active ingredient in antiperspirant products. It is generally well tolerated also on long-term use. Although Locron® is being well tolerated, dermatological trials should be carried with the final antiperspirant/deodorant formulation to establish beyond doubt that no skin irritation is caused by the combination of products, each of which is in itself non-irritant.

Application

The Locron® grades are widely used in perspiration-reducing preparations. Locron® P is most suitable for anhydrous products like powder-sprays, suspension-sprays or sticks. Locron® S may be used to generate aqueous solutions of aluminum chlorohydrate. Locron® L, Locron L,ZA and Locron® LIC are used for roll-ons, pump-sprays, emulsions and aqueous gels. All Locron® grades can also be incorporated in skin lotions, skin creams and shaving lotions to achieve a slight astringent effect.

Usage Concentration

For antiperspirant products using Locron® as the sole active ingredient, the active concentration of aluminum chlorohydrate is chosen in the range of 5 - 25%. If combined with other active ingredients, the active content can be lowered accordingly.

For aqueous formulations like pump sprays or roll-ons a 24 h effect is generally seen at about 10% active concentration (i.e. 20% Locron® L, L.ZA or LIC).

Solubility

Solid Locron® types (Locron® P, Locron® S) are soluble in water up to approx. 60% (m/m). They are almost insoluble in absolute ethanol and only sparingly soluble in higher molecular weight monovalent and multivalent alcohols. Liquid Locron® types (Locron® L, L.ZA, LIC) are miscible with ethanol or glycerol in any ratio.

Locron® S should be used rather than Locron® P for preparing aqueous solutions because the former dissolves more rapidly in water. Moreover solutions of Locron® S have greater clarity, although optimum clarity is obtained only after the solution has been left to stand for about 24 h.

Locron® LIC is especially suited for clear formulations, because it shows improved clarity compared to Locron® L or L.ZA. Additionally, due to the reduced iron content of Locron® LIC, problems with yellowing of clothes are minimized.

Stability

Locron® is stable in an acid aqueous medium, but aluminum hydroxide is precipitated if the pH is adjusted to above pH 5 with base.

CLARIANT INTERNATIONAL LTD

Rothausstrasse 61 4132 Muttenz Switzerland

BUSINESS UNIT INDUSTRIAL & CONSUMER SPECIALTIES

www.ics.clariant.com www.clariant.com

Page 2 of 3 LOCRON® May 2013



If heated, it releases water and hydrochloric acid. Rising temperatures lead in turn to the formation of aluminum hydroxide gels, γ -aluminum oxide and finally α -aluminum oxide (corundum).

Storage

Clariant guarantees 4 years storage stability for all Locron® types stored in originally sealed containers.

Locron® S and P are hygroscopic and should therefore be kept in a dry place. Once containers have been opened, their contents should be used without delay since there is a risk of agglomeration caused by the adsorption of moisture from the atmosphere. Agglomerates are frequently the cause of valve blockage in aerosol products.

CLARIANT INTERNATIONAL LTD

Rothausstrasse 61 4132 Muttenz Switzerland

BUSINESS UNIT INDUSTRIAL & CONSUMER SPECIALTIES

www.ics.clariant.com www.clariant.com

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particula application. 'Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

For sales to customers located within the United States and Canada the following applies in addition:

NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

® Trademark of Clariant registered in many countries © 2012 Clariant International Ltd





Page 3 of 3 LOCRON® May 2013